




THE **OLANDER** COMPANY INC

Fastener Pictorial Guide:

Socket and Set Screws


THE OLANDER COMPANY INC

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM




Socket Head Cap Screw

Commonly referred to as "Allen Head"
Length measured from under head to end of threads




Button Head Socket Cap Screw

Length measured from under head to end of threads




Flat Head Socket Cap Screw

Also known as Countersunk
Measured overall length




Low Head Socket Cap Screw

Length measured from under head to end of threads
Lower profile head than a socket head cap screw



Hex Socket Head Shoulder Bolt

Also known as a Stripper Bolt
Measured by diameter and length of shoulder
Note: Thread is pre-determined by the diameter of shoulder




Torx® Button Socket Cap Screw

Also known as Hex-lobular
Length measured from under head to end of threads

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM


THE OLANDER COMPANY INC

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM



Torx® Tamper resistant Button Socket Cap Screw

Also known as Hex-lobular
Length measured from under head to end of threads



Hex-Tamper resistant Flat Head Socket Cap Screw

Also known as Countersunk and Hex-lobular
Measured overall length



Hex Socket Set Screw Cup Point

Measured overall Length



Hex Socket Set Screw Flat Point

Measured overall Length

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM

THE OLANDER COMPANY INC

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM



Hex Socket Set Screw Oval Point

Measured overall Length



Hex Socket Set Screw Cone Point

Measured overall Length



Hex Socket Set Screw Full Dog Point

Measured overall Length
Note: These have largely been replaced by Half Dog Point



Hex Socket Set Screw Half Dog Point

Measured overall Length

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM

THE OLANDER COMPANY INC

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM



Hex Socket Jam Screw

Center is hollow
Measured overall Length



Hex Socket Set Screw Nylon Tip

Also known as No-Mar
Note: Tip length is predetermined



Hex Socket Set Screw Silver Tip

Also known as Silver-Grip
Measured overall Length



Hex Socket Pipe Plug

Measured overall Length
2 types: Dry Seal- standard
Flush Seal- shorter in length

ELECTRONIC-COMMERCIAL-SPECIALTY FASTENERS
144 COMMERCIAL STREET SUNNYVALE, CA 94086-5298 PHONE 408-735-1850 FAX 408-735-6515
WWW.OLANDER.COM